## JAGUAR E-PACE 21MY TECHNICAL DATA

ENGINE	Ingenium 163PS Diesel FWD	Ingenium 163PS MHEV Diesel AWD	Ingenium 204PS MHEV Diesel AWD	Ingenium 160PS MHEV Petrol FWD	Ingenium 200PS MHEV Petrol AWD	Ingenium 249PS MHEV Petrol AWD	Ingenium 300PS MHEV Petrol AWD	P300e 309PS PHEV Petrol AWD
Engine type	Inline-4, 16 valve,	Inline-4, 16 valve,	Inline-4, 16 valve,	Inline-3, 12 valve,	Inline-4, 16 valve,	Inline-4, 16 valve,	Inline-4, 16 valve,	Inline-3, 12 valve,
	electronic control, direct injection	electronic control, direct injection	electronic control, direct injection	electronic control, direct injection	electronic control, direct injection	electronic control, direct injection	electronic control, direct injection	electronic control, direct injection
Displacement (cc)	1,997 83/92.31	1,997 83/92.31	1,997 83/92.31	1,498 83/92.29	1,997 83/92.29	1,997 83/92.29	1,997 83/92.29	1,498 83/92.29
Bore / Stroke (mm) Compression ratio	83/92.31 16.5 +/-0.5 :1	83/92.31 16.5 +/-0.5 :1	83/92.31 16.5 +/-0.5 :1	83/92.29 10.5 +/-0.5 :1	83/92.29 10.5 +/-0.5 :1	83/92.29 10.5 +/- 0.5 :1	83/92.29 10.5 +/- 0.5 :1	83/92.29 10.5 +/- 0.5 :1
Electric Motor	n/a	Belt-integrated Starter Generator (BiSG)	Belt-integrated Starter Generator (BiSG)	Belt-integrated Starter Generator (BiSG)	Belt-integrated Starter Generator (BiSG)	Belt-integrated Starter Generator (BiSG)	Belt-integrated Starter Generator (BiSG)	Belt-integrated Starter Generator (BiSG)
								inverter and Electric Drive Unit (EDU)
Battery Type Max Power	n/a 163PS (120kW) @ 3,750rpm	Lithium-ion 163PS (120kW) @ 3,750rpm	Lithium-ion 204PS (150kW) @ 3,750rpm	Lithium-ion 160PS (118kW) @ 5,500rpm	Lithium-ion 200PS (147kW) @ 5,500rpm	Lithium-ion 249PS (184kW) @ 5,500rpm	Lithium-ion 300PS (221kW) @ 5,500rpm	Lithium-ion 309PS (227kW) @ 5,500rpm
Max Torque	380Nm (280lb ft) @ 1,500-2,500rpm	380Nm (280lb ft) @ 1,500-2,500rpm	430Nm (317lb ft) @ 1,750-2,500rpm	260Nm (192lb ft) @ 1,600-4,000rpm	320Nm (236lb ft) @ 1,200-4,000rpm	365Nm (269lb ft) @ 1,300-4,500rpm	400Nm (295lb ft) @ 1,500-4,500rpm	540Nm (398lb ft) @ 1,600-4,500rpm
Euro standard	EU6d	EU6d	430NIII (317IB1I) @ 1,730-2,300IpIII EU6d	EU6d	EU6d	EU6d	EU6d	EU6d
Transmission	(BG6) 6-speed manual	(9HP50) 9-speed automatic	(9HP50) 9-speed automatic	(8G30) 8-speed (automatic)	(9HP50) 9-speed automatic	(9HP50) 9-speed automatic	(9HP50) 9-speed automatic	(8G30) 8-speed (automatic)
1st (High / Low)	3.818	4.713	4.713	5.070	4.713	4.713	4.713	5.070
2nd (High / Low)	1.923	2.842	2.842	2.972	2.842	2.842	2.842	2.972
3rd (High / Low)	1.218	1.909	1.909	1.950	1.909	1.909	1.909	1.950
4th (High / Low)	0.880	1.382	1.382	1.470	1.382	1.382	1.382	1.470
5th (High / Low)	0.809	1.000	1.000	1.231	1.000	1.000	1.000	1.231
6th (High / Low)	0.673	0.808	0.808	1.000	0.808	0.808	0.808	1.000
7th (High / Low)	-	0.699	0.699	0.808	0.699	0.699	0.699	0.808
8th (High / Low)	-	0.580	0.580	0.672	0.580	0.580	0.580	0.672
9th (High / Low)	-	0.480	0.480	-	0.480	0.480	0.480	-
Reverse	-4.139	-3.830 4.544	-3.830 4.544	-4.003	-3.830 4.544	-3.830 4.544	-3.830 4.544	-4.003 3.933
Final drive ratio Fuel tank capacity (usable) (litres)	3.238 65 Large / 54 Eco	4.544 65 Large / 54 Eco	4.544 65 Large / 54 Eco	3.832 67	4.544 67	4.544 67	4.544 67	3.832 57.6
AdBlue tank capacity (usable) (litres)	65 Large / 54 Eco 17	65 Large / 54 ECO	65 Large / 54 Eco 17	n/a	n/a	n/a	n/a	57.6 n/a
Front brakes ventilated (mm)	325 (17" wheel) / 349 (18"+ wheel)	325 (17" wheel) / 349 (18"+ wheel)	349	n/a 325 (17" wheel) / 349 (18"+ wheel)	n/a 325 (17" wheel) / 349 (18"+ wheel)	n/a 349	n/a 349	n/a 349
Rear brakes (mm)	325 (17 wheel) / 349 (18 + wheel) 300	325 (17 Wrieel) / 349 (18 + Wrieel) 300	349	325 (17 Wheel) / 349 (18 + Wheel)	325 (17 wheel) / 349 (18 + wheel) 300	349	325	325
	300	300	300	1	teering (EPAS) rack and pinion	323	323	323
Steering							[	Rear Electric Drive Unit (EDU)
Four-wheel drive system	n/a	All-wheel drive with Intelligent Driveline Dynamics	All-wheel drive with Intelligent Driveline Dynamics	n/a		All-wheel drive with Intelligent Driveline Dynamics	All-wheel drive with Intelligent Driveline Dynamics	with Electric Rear Axle Drive (ERAD)
Front suspension					rol arm, coil springs and anti-roll bar			
Rear suspension				Integral multi-link suspension v	with coil springs and anti-roll bar			
EXTERIOR DIMENSIONS								
Overall length (mm)					395			
Overall height (mm)	1,648							
Overall width (mirrors folded) (mm)	1,984							
Overall width (mirrors unfolded) (mm)								
Wheelbase (mm)					681			
Front overhang (mm)	882							
Rear overhang (mm)	832							
Front track (mm)	1,625							
Rear track (mm)	1,624 11.63							
Turning circle - kerb-to-kerb (metres) Steering wheel rotation - lock-to-lock					.31			
Drag coefficient (Cd)	From 0.32	From 0.32	From 0.32	From 0.33	From 0.33	From 0.33	From 0.34	From 0.34
	Trom 6.52	Trom obs	Tront 6.5E	Trom 6:55	I Trom 6.55	1 Tomoiss	1101110151	110M 6.5 1
INTERIOR DIMENSIONS	1			000 /5	(070/)			
Headroom max (with sunroof) (mm)	996 (front) / 970 (rear) 1,030 (front / 872 (rear)							
Luggage capacity (rear seats upright) (litres)*	1,030 (601) 601							
Luggage capacity (rear seats upright) (litres)*  Luggage capacity (rear seats forward) (litres)*	001 1386							
Loadspace (max width) (litres)*	1,360 1,311							
				1,				
ALL-TERRAIN CAPABILITY	1				22			
Approach angle (deg)					22			
Departure angle (deg) Ramp angle (deg)	28 20,7							
Wading depth (mm)	207 500							
Ground clearance (mm)	300 212							
				_				
WEIGHT & TOWING CAPABILITY	1	1 4444	1	4	1	1	1	2.4=2
Weight from (EU unladen) (kg)	1,809	1,916	1,952	1,783	1,847	1,889	1,952	2,173
Weight from (EU DIN) (kg)	1,734 750	1,841 750	1,877 750	1,708 750	1,772 750	1,814 750	1,877 750	2,098 750
Maximum unbraked towable mass (kg)  Maximum towable mass (kg)	1,600	1,800	1,800	1,800	1,800	1,800	1,800	1,800
	1,000	1,000	1,000	1,000	1,000	1,000	1,000	1,000
PERFORMANCE & EFFICIENCY		1						
0-60mph (0-97km/h) (secs)	9.5	9.2	7.9	9.7	8.0	7.0	6.6	6.1
0-62mph (0-100km/h) (secs)	10.0	9.8	8.4	10.3	8.5	7.5	6.9	6.5
50-75mph (80-120km/h) (secs)	6.9	7.8	6.2	7.1	6.2	5.1	4.7	4.2
Top speed (mph / km/h)	128 / 206	124 / 200	131 / 211	122 / 197	124 / 200	142 / 229	150 / 241	134 / 216
EU - WLTP Fuel Consumption Combined TEL mpg (I/100km) <sup>‡</sup>	46.9 (6.0)	44.3 (6.4)	43.9 (6.4)	35.2 (8.0)	31.9 (8.9)	31.8 (8.9)	31.3 (9.0)	_
EU - WLTP Fuel Consumption Combined TEH mpg (I/100km) <sup>‡</sup>	41.4 (6.8)	40.8 (6.9)	40.1 (7.0)	33.7 (8.4)	29.2 (9.7)	29.2 (9.7)	29.2 (9.7)	141 (2.0)
EU - WLTP CO₂ Emissions Combined TEL (g/km) <sup>‡</sup>	158	167	169	181	200	200	204	_
EU - WLTP CO₂ Emissions Combined TEH (g/km) <sup>‡</sup>	179	182	185	189	218	218	218	44
EU - WLTP Electric-Only Range Combined eAER TEH miles (km) <sup>‡</sup>	n/a	n/a	n/a	n/a	n/a	n/a	n/a	34 (55)

<sup>1) ‡</sup>WITP is the official EU test used to calculate standardised fuel consumption and CO<sub>2</sub> figures for passenger cars. It measures fuel, energy consumption, range and emissions. The figures provided are as a result of official manufacturer's tests in accordance with EU legislation. For comparison purposes only. Real world figures may differ. CO<sub>2</sub>, fuel economy, energy consumption and range figures may vary according to factors such as driving styles, environmental conditions, load, wheel fitment and accessories fitted

<sup>2) \*</sup>Volume as measured by simulating the loadspace filled with liquid. Volume measured up to the headliner. Boot configuration and total loadspace will vary depending on model and if full size spare or space saver spare wheel is fitted

<sup>3)</sup> Please check with your local market for features, model range and engine availability as they vary by market

<sup>4)</sup> Jaguar Land Rover is constantly seeking ways to improve the specification, design and production of its vehicles, parts and accessory. Figures are manufacturer's estimates